

Superior Chemistry. Superior Performance.



Full Synthetic Multi-Vehicle Low Viscosity ATF

Printed On: Feb 10, 2014

INSPECTION INFORMATION

Specific Gravity @ 60°F (15.6°C)
Viscosity @ 40°C cSt
Viscosity @ 100°C cSt
Pour Point °C (°F)
Viscosity Index
Color
Gravity, °API
Brookfield Viscosity at -40°C, cP

TEST METHOD

ASTM D4052
ASTM D445
ASTM D445
ASTM D5950
ASTM D2270
ASTM D 1500
ASTM D287
ASTM D2983

TYPICAL VALUE

0.8468
28.56
5.797
-51°C (-60°F)
151
Red
35.60
10,300

Superior Chemistry. Superior Performance.



CLAIMS INFORMATION

Printed On: Feb 10, 2014

Type A	Suitable for Use
Dexron VI	Approved
Audi G 052 025, 052 162, 055 025	Suitable for Use
BMW 7045E, LA2634, LT71141	Suitable for Use
Dexron III, Dexron II, Dexron	Suitable for Use
Honda DW-1, Z-1	Suitable for Use
Hyundai/Kia SP-II and SP-III	Suitable for Use
Hyundai SP-IV	Suitable for Use
JWS 3309	Suitable for Use
M315-2004 JASO 1A	Suitable for Use
M315-2004 JASO 2A	Suitable for Use
MAN 339 Type Z1, V1	Suitable for Use
MAN 339 Type Z2	Suitable for Use
MAN 339 Type V2	Suitable for Use
Mazda ATF M-III, MV	Suitable for Use
NAG-1	Suitable for Use
MB 223.2, 236.1, 236.10, 236.12, 236.41, 236.5, 236.6, 236.7, 23	Suitable for Use
Mercon V (XT-5-QM,XT-5-DM)	SFU, Vis Requirements not met
Mercon, Ford ESP-M2C166-H	SFU, Vis Requirements not met
Mercon SP, except 6HP26 / 6R60/ 6R75 transmissions_	SFU, Vis Requirements not met
XT-6-QSP, XT-6-DSP, except 6HP26 / 6R60/ 6R75 transmissions	SFU, Vis Requirements not met
Mercon LV (XT-10-QLV)	Approved
Mitsubishi Diamond SP-II, SP-III, J2	Suitable for Use
Nissan Matic-D, J, K, 402	Suitable for Use
Nissan Matic, J, S	Suitable for Use
Shell 3403, LA2634, Texaco 7045-E, ETL-8072B	Suitable for Use
Subaru ATF, ATF-HP	Suitable for Use
Toyota T-III, T-IV, WS, Ford XT8QAW	Suitable for Use
JWS 3309	Suitable for Use
Volvo Passenger Car (4 – 6 sp), Volvo 97340, 97341	Suitable for Use
VW G 052 025, 162, 099, 055 025	Suitable for Use
ZF TE-ML 02F, TE-ML 03D, TE-ML 04D, TE-ML 09, TE-ML 11A	Suitable for Use
ZF TE-ML 14A, TE-ML 14B, TE-ML 14C, TE-ML 16L, ZF TE-ML 17C	Suitable for Use
VW TL52162 (LT71141)	Suitable for Use